Decmore®

Decmore®
SOLID WOOD

SOLID WOOD

FLUTE PANELS

Decmore® ISO 9001 CERTIFIED

www.decmore.com

WHAT WE ARE ALL ABOUT ?

The incontestable luxury, quality and creativity of our interior design products made the name decmore synonymous with excellence, formed by a young and dynamic team, our company wants to bring a better alternative to existing products currently on the market. Our products are durable, strong and aesthetic. The panels are produced in various colours and designs to satisfy the most demanding requirements in terms of design.

Decmore is a designer and manufacturer of high-end decorative surfaces and components for wall paneling based in India and exporting it to all the corners of the globe. Most of the panels available in the market are lacquered or a plastic material. Decmore panels are developed with smart eco friendly material through multi process worked according to the design and concept of panels.



Over the years, we have been able to establish ourselves as a prominent figure in this industry, Our company is a manufacturer and a supplier of a quality range of solid wood flute panels. The wood in our panels has been heated for stabilization and to kill any termites.

decmore®
SOLID WOOD

Why Decmore Flute Panels ?

Decmore Flute Panel is a beautiful solid wood strip decorative panel. Which has high-quality natural property. It can be easily applied to walls and ceiling, be it domestic on commercial use. Modern styling personified in every way.

TOTAL THICKNESS
12mm

MATERIAL
SOLID WOOD SLATS ENGINEERED WOOD

DIMENSION
2900mm x 280mm (9'6"x11")
1520mm x 600mm (5'x2')



Key Features

- The original natural solid wood slat panel.
- Fast and simple installation allows you to quickly transform any space.
- Panels are made from 100% natural wood and is totally recyclable.
- A complete pre finished panel solution, minimizing installation time and site adjustment.

Installation

Decmore Flute Panel has been designed to be installed with ease. We recommended either screwing the panels straight into the wall or can be paste through wood adhesive.

Decmore®

#SWF-372/Teak

Decmore® ISO 9001 CERTIFIED

Decmore® ISO 9001 CERTIFIED

#SWF-372/Teak

decmore®

decmore®
SOLID WOOD



SWF-372
Teak



#SWF-372F/Teak

Dimension : 2900mm x 280mm (9'6"x11") apx.
1520mm x 600mm (5'x2') apx.

Thickness : 12mm apx.

Material : Smart surface engineered wood with 100% natural wood.

Feature : A clean modern and elegant design, Unique finished and simple installation. Environmentally sustainable material, Pre finished product designed to cater residential and commercial aspects of the market.

100%
NATURAL
WOOD

#SWF-372F/Teak

#SWF-369/Black Wood

#SWF-369/Black Wood

Decmore® ISO 9001 CERTIFIED

decmore®
SOLID WOOD

SWF-369
Black Wood

#SWF-369F/Black Wood

Dimension : 2900mm x 280mm (9'6"x11") apx.
1520mm x 600mm (5'x2') apx.

Thickness : 12mm apx.

Material : Smart surface engineered wood with 100% natural wood.

Feature : A clean modern and elegant design, Unique finished and simple installation. Environmentally sustainable material, Pre finished product designed to cater residential and commercial aspects of the market.

100% NATURAL WOOD

#SWF-369F/Black Wood

Decmore®

#SWF-371/White Ash

Decmore® ISO 9001 CERTIFIED

#SWF-371/White Ash

Decmore® ISO 9001 CERTIFIED

decmore®
SOLID WOOD



SWF-371
White Ash



#SWF-371F/White Ash

Dimension : 2900mm x 280mm (9'6"x11") apx.
1520mm x 600mm (5'x2') apx.

Thickness : 12mm apx.

Material : Smart surface engineered wood with 100% natural wood.

Feature : A clean modern and elegant design, Unique finished and simple installation. Environmentally sustainable material, Pre finished product designed to cater residential and commercial aspects of the market.

100%
NATURAL
WOOD

#SWF-371F/White Ash

decmore®

#SWF-370/Red Brown

#SWF-370/Red Brown

Decmore® ISO 9001 CERTIFIED

decmore®
SOLID WOOD



SWF-370
Red Brown

#SWF-370F/Red Brown

Dimension : 2900mm x 280mm (9'6"x11") apx.
1520mm x 600mm (5'x2') apx.

Thickness : 12mm apx.

Material : Smart surface engineered wood with 100% natural wood.

Feature : A clean modern and elegant design, Unique finished and simple installation. Environmentally sustainable material, Pre finished product designed to cater residential and commercial aspects of the market.

100%
NATURAL
WOOD

#SWF-370F/Red Brown

#SWF-373/Roasted Brown

"WE USE ONLY THE HIGHEST QUALITY MATERIALS, WHICH ARE ENVIRONMENTALLY AND PEOPLE FRIENDLY AS WELL AS UV RESISTANT"

Decmore® ISO 9001 CERTIFIED

#SWF-373/Roasted Brown

Decmore® ISO 9001 CERTIFIED

decmore®

SOLID WOOD



SWF-373
Roasted Brown

#SWF-373F/Roasted Brown

Dimension : 2900mm x 280mm (9'6"x11") apx.
1520mm x 600mm (5'x2') apx.

Thickness : 12mm apx.

Material : Smart surface engineered wood with 100% natural wood.

Feature : A clean modern and elegant design, Unique finished and simple installation. Environmentally sustainable material, Pre finished product designed to cater residential and commercial aspects of the market.

100% NATURAL WOOD

#SWF-373F/Roasted Brown





#SWF-374/Natural Pine

#SWF-374/Natural Pine

Decmore® ISO 9001 CERTIFIED

decmore®
SOLID WOOD



#SWF-374F/Natural Pine

SWF-374
Natural Pine

Dimension : 2900mm x 280mm (9'6"x11") apx.
1520mm x 600mm (5'x2') apx.

Thickness : 12mm apx.

Material : Smart surface engineered wood with 100% natural wood.

Feature : A clean modern and elegant design, Unique finished and simple installation. Environmentally sustainable material, Pre finished product designed to cater residential and commercial aspects of the market.

100%
NATURAL
WOOD

#SWF-374F/Natural Pine



Decmore®

Decmore® ISO 9001 CERTIFIED

#SWF-375/Gray Wood

Decmore® ISO 9001 CERTIFIED

#SWF-375/Gray Wood

decmore®
SOLID WOOD

SWF-375
Gray Wood

#SWF-375F/Gray Wood

Dimension : 2900mm x 280mm (9'6"x11") apx.
1520mm x 600mm (5'x2') apx.

Thickness : 12mm apx.

Material : Smart surface engineered wood with 100% natural wood.

Feature : A clean modern and elegant design, Unique finished and simple installation. Environmentally sustainable material, Pre finished product designed to cater residential and commercial aspects of the market.

100% NATURAL WOOD

#SWF-375F/Gray Wood

Decmore®

#SWF-375/Gray Wood

Decmore® ISO 9001 CERTIFIED

#SWF-376/Moss Wood

Decmore® ISO 9001 CERTIFIED

decmore®
SOLID WOOD



SWF-376
Moss Wood



#SWF-376F/Moss Wood

Dimension : 2900mm x 280mm (9'6"x11") apx.
1520mm x 600mm (5'x2') apx.

Thickness : 12mm apx.

Material : Smart surface engineered wood with 100% natural wood.

Feature : A clean modern and elegant design, Unique finished and simple installation. Environmentally sustainable material, Pre finished product designed to cater residential and commercial aspects of the market.

100% NATURAL WOOD

#SWF-376F/Moss Wood

www.decmore.com

Flute Panels

SOLID WOOD

Dimension : 2900mm x 280mm (9'6"x11") apx.
Thickness : 12 mm

SWF-369
Black Wood

SWF-370
Red Brown

SWF-371
White Ash

SWF-372
Teak

Flute Panels

SOLID WOOD

Dimension : 2900mm x 280mm (9'6"x11") apx.
Thickness : 12 mm

SWF-373
Roasted Brown

SWF-374
Natural Pine

SWF-375
Gray Wood

SWF-376
Moss Wood

Flute Panels

decmore®
SOLID WOOD

Dimension : 1520mm x 600mm (5'x2') apx.
Thickness : 12 mm



SWF-372F Teak



SWF-371F White Ash

SWF-370F Red Brown

SWF-369F Black Wood



SWF-373F Roasted Brown



SWF-374F Natural Pine



SWF-375F Gray Wood



SWF-376F Moss Wood

Application/ installation Guidelines

Adhesive
Apply a generous even coat of adhesive to the product, immediately wipe off excess glue witha soft damp cloth, and dry with clean soft cloth afterwards to avoid adhesive from getting infront of the product.

Being extra careful to avoid damages on sheet's face surface, apply the decorative panel after polish and finish work has completed. Please apply paper tape on side by side to fix the sheet perfectly.

Cutting & Trimming
To avoid damage, don't use hand saw. Sheet surface must be face-up when cutting, to avoid chipping, trim with cutting machine(Circular saw min, 6000rpm).

Cleaning and Care
Wipe the area using a soft cloth.

Nailing & Drilling
For fixation panels avoid nailing and if it is necessary be careful to nail in the right place without damaging design.

Seam
If gaps occur at the joints, use approximate colour fillet. Immediately remove any excess filler. Wipe off but avoid scratching the surface.

*Being a processed and handmade product , the colour may vary slightly.

decmore®

SOLID WOOD

FLUTE PANELS

decmore®

DECMORE PANELS LTD.

Marketing Office : A-43, Mohan Co-Operative,
Industrial, Estate, New Delhi (INDIA)
Email: info@decmore.com, info@decmorepanels.com
Website: www.decmore.com

Disclaimer: Products and applications shown in the this catalogue are for representation purpose only utmost care has been taken to give an accurate specification of all product. Colors and shades may very from the original product.